

2025/2026 edition



# Season & party lighting

**TRONIX** guided by light



2025/2026 edition

# Season & party lighting



The product range in this catalog is tailored for all-year-round decorative lighting purposes. Designed for the professional installer, our collection meets the highest standards in durability, flexibility, and ease of use.

From connectable Christmas lights in 36V or 230V to professional 24V Tree Lighting, Festoon cable lights and decorative 3D light balls, our products are crafted to inspire and perform. Whether enhancing festive streetscapes, illuminating summer events, or creating a welcoming atmosphere for hotels and public spaces, our lighting solutions deliver outstanding results.



Available in single-piece quantities and backed by proven quality, this catalog is your go-to guide for reliable, long-lasting decorative lighting.

Let our products speak for themselves and inspire you to tackle any festive lighting challenge with creativity, confidence and the greatest ease!



Custom designed object with 36V String Lights at Van Tilburg - IDI Projects - Nistelrode, The Netherlands



Tronix Light Curtains with Main Cables and String Lights at Marriot Hotel, Lumineus Buitenverlichting - Amsterdam, the Netherlands



Office and showroom  
in Uden



6000 m<sup>2</sup>



IN STOCK

2000 items



Fast delivery



Looking for our latest product releases? We keep continued focus on new product development and further extension of our range. Visit our website for a most actual overview.



Order online? Ask for your personal login account at [sales@tronixlighting.com](mailto:sales@tronixlighting.com)

Orders placed before 12.00h (GMT +1) will be shipped the same day



# Connectable Lights 230V | String Lights

## STRING LIGHTS | BLACK & WHITE

Transform trees, facades, or gardens with these connectable String Lights, offering versatile illumination for any setting. Or combine them with Main Cables for custom-made Light Curtains. Max 100 meters per length. Use dividers to connect multiple 100-meter lengths to one Power Cable.



- Input voltage:** 230V
- IP rate:** IP65 (indoor/outdoor)
- LED distance:** 10 cm
- Material:** Rubber
- Connectable:** Yes (in/out)
- Power cable:** Not included
- End caps:** Included



### 3 METERS

ART. NR.	WIRE COLOR	LIGHT COLOR	COLOR TEMP.	POWER	LEDS P/STRING
011-125	● Black	○ Warm white +	2400K	2,3 Watt	30
011-118	● Black	○ Warm white	3000K	2,3 Watt	30
011-124	○ White	○ Warm white +	2400K	2,3 Watt	30
011-128	○ White	○ Warm white	3000K	2,3 Watt	30

### 6 METERS

ART. NR.	WIRE COLOR	LIGHT COLOR	COLOR TEMP.	POWER	LEDS P/STRING
011-232	● Black	○ Warm white+	2400K	4,6 Watt	60
011-218	● Black	○ Warm white	3000K	4,6 Watt	60
011-211	● Black	○ Cold white	6500K	4,6 Watt	60
011-231	○ White	○ Warm white+	2400K	4,6 Watt	60
011-228	○ White	○ Warm white	3000K	4,6 Watt	60
011-221	○ White	○ Cold white	6500K	4,6 Watt	60

### 10 METERS

ART. NR.	WIRE COLOR	LIGHT COLOR	COLOR TEMP.	POWER	LEDS P/STRING
011-159	● Black	○ Warm white+	2400K	6,8 Watt	100
011-158	● Black	○ Warm white	3000K	6,8 Watt	100
011-151	● Black	○ Cold white	6500K	6,8 Watt	100
011-162	○ White	○ Warm white+	2400K	6,8 Watt	100
011-168	○ White	○ Warm white	3000K	6,8 Watt	100
011-161	○ White	○ Cold white	6500K	6,8 Watt	100


# String Lights | Connectable Lights 230V

## END STRINGS | BLACK & WHITE

End Strings features a lamp instead of a connector at the end, making them ideal for completing custom-made Light Curtains. Combine them with Main Cables and connect them at the ends of your Light Strings.



**Input voltage:** 230V  
**IP rate:** IP65 (indoor/outdoor)  
**LED distance:** 10 cm  
**Material:** Rubber  
**Connectable:** No (only in)  
**Power cable:** Not included  
**End caps:** Included



## 2X 1,5 METERS

ART. NR.	WIRE COLOR	LIGHT COLOR	COLOR TEMP.	POWER	LEDS P/STRING
011-171	● Black	○ Warm white	3000K	2,3 Watt	2 x 15
011-183	○ White	○ Warm white+	2400K	2,3 Watt	2 x 15
011-172	○ White	○ Warm white	3000K	2,3 Watt	2 x 15
011-173	○ White	○ Cold white	6500K	2,3 Watt	2 x 15

## 4X 0,8 METERS

ART. NR.	WIRE COLOR	LIGHT COLOR	COLOR TEMP.	POWER	LEDS P/STRING
011-186	● Black	○ Warm white +	2400K	2,5 Watt	4 x 8
011-176	● Black	○ Warm white	3000K	2,5 Watt	4 x 8
011-185	○ White	○ Warm white +	2400K	2,5 Watt	4 x 8
011-175	○ White	○ Warm white	3000K	2,5 Watt	4 x 8
011-177	○ White	○ Cold white	6500K	2,5 Watt	4 x 8

## REQUIRED POWER CABLES

ART. NR.	WIRE COLOR	POWER CABLES	MAX. NR. LEDS
010-013	● Black	LED power cable black EU - 2 Ampère	6.000
010-019	● Black	LED power cable black EU - 5 Ampère	15.000
010-012	○ White	LED power cable white EU - 2 Ampère	6.000
010-020	○ White	LED power cable white EU - 5 Ampère	15.000

\*Max. 100 meters in one single length. Connect more lengths to one Power Cable? Then work with Dividers to create multiple lengths of max. 100 meters each.



Tronix Light Curtains designed with Main Cables and String Lights at Marriot Hotel, Luminous Buitenvierlichting - Amsterdam, the Netherlands

# Cluster Lights | Connectable Lights 230V


## CLUSTER LIGHTS | BLACK & WHITE

Cluster Lights with small lights branches for easy decoration of tree branches, facades or other objects. Apply hanging down in series or connect them in any desired way for a custom-made light design. Max 50 meters per length. Use dividers to connect multiple 50-meter lengths to one Power Cable.



**proSYSTEM** LED 230V  
MODULAR

**Input voltage:** 230V  
**IP rate:** IP65 (indoor/outdoor)  
**LED distance:** 1,67 cm  
**Material:** Rubber  
**Connectable:** Yes (in/out)  
**Power cable:** Not included  
**End caps:** Included



## 2 METERS

ART. NR.	WIRE COLOR	LIGHT COLOR	COLOR TEMP.	POWER	LEDS P/STRING
012-003	● Black	○ Warm white+	2400K	7 Watt	120
012-002	● Black	○ Warm white	3000K	7 Watt	120
012-001	● Black	○ Cold white	6500K	7 Watt	120
012-013	○ White	○ Warm white+	2400K	7 Watt	120
012-012	○ White	○ Warm white	3000K	7 Watt	120
012-011	○ White	○ Cold white	6500K	7 Watt	120

## 3 METERS

ART. NR.	WIRE COLOR	LIGHT COLOR	COLOR TEMP.	POWER	LEDS P/STRING
012-023	● Black	○ Warm white+	2400K	10,5 Watt	180
012-022	● Black	○ Warm white	3000K	10,5 Watt	180
012-021	● Black	○ Cold white	6500K	10,5 Watt	180
012-033	○ White	○ Warm white+	2400K	10,5 Watt	180
012-032	○ White	○ Warm white	3000K	10,5 Watt	180
012-031	○ White	○ Cold white	6500K	10,5 Watt	180


# Connectable Lights 230V | Icicle Lights

## ICICLE LIGHTS | BLACK & WHITE

Icicle Lights are perfect for creating a warm, inviting ambiance in restaurants and shopping centers, or connecting storefronts to design atmospheric shopping streets. Max 100 meters per length. Use dividers to connect multiple 100-meter lengths to one Power Cable.



- Input voltage:** 230V
- IP rate:** IP65 (indoor/outdoor)
- Material:** Rubber
- Connectable:** Yes (in/out)
- Power cable:** Not included
- End caps:** Not included



### 2X 0,4 METERS

ART. NR.	WIRE COLOR	LIGHT COLOR	COLOR TEMP.	POWER	LEDS	LEDS P/STRING
007-020	● Black	○ Warm white+	2400K	7 Watt	76	3-4-5
007-008	● Black	○ Warm white	3000K	7 Watt	76	3-4-5
007-141	● Black	○ Cold white	6500K	7 Watt	76	3-4-5
007-019	○ White	○ Warm white+	2400K	7 Watt	76	3-4-5
007-018	○ White	○ Warm white	3000K	7 Watt	76	3-4-5
007-140	○ White	○ Cold white	6500K	7 Watt	76	3-4-5

### 2X 0,8 METERS

ART. NR.	WIRE COLOR	LIGHT COLOR	COLOR TEMP.	POWER	LEDS	LEDS P/STRING
007-052	● Black	○ Warm white+	2400K	11 Watt	152	6-8-10
007-048	● Black	○ Warm white	3000K	11 Watt	152	6-8-10
007-050	● Black	○ Cold white	6500K	11 Watt	152	6-8-10
007-051	○ White	○ Warm white+	2400K	11 Watt	152	6-8-10
007-058	○ White	○ Warm white	3000K	11 Watt	152	6-8-10
007-049	○ White	○ Cold white	6500K	11 Watt	152	6-8-10





Tronix 230V Icicle Lights (40 cm) at new restaurant Nieuw Schaijk, Decofred - Schaijk, the Netherlands



Tronix 3D Motifs at atmospheric restaurant chain, 't Zusje - Uden, the Netherlands

# 3D Motifs | Connectable Lights 230V

## 3D MOTIFS | LIGHT DECORATION BALLS | BLACK & WHITE

Decorative Light Balls provide impactful lighting in a variety of atmospheric colors. Each Motif includes two plugs (in/out) for easy integration with Tronix 230V Connectable Christmas Lights. This allows multiple Motifs to be connected in a line or combine them with Light Strings, Icicle Lights, and more.



**PROSYSTEM** LED MODULAR 230V

**Input voltage:** 230V  
**IP Rate:** IP65 (indoor/outdoor)  
**Connectable:** Yes (in/out)  
**Power cable:** Not included  
**Material:** Steel construction (white or black powder coated)



\* Example of a Ø50 foldable 3D motif

### Ø 20 cm

ART. NR.	FRAME COLOR	LIGHT COLOR	COLOR TEMP.	POWER	LEDS (STEADY/FLASH)	FOLDABLE
571-079	● Black	☀ Warm white+	2400K	3,5 Watt	40 (34/6)	No
571-078	● Black	☀ Warm white	3000K	3,5 Watt	40 (34/6)	No
571-061	○ White	☾ Cold white	6500K	3,5 Watt	40 (34/6)	No

### Ø 35 cm

ART. NR.	FRAME COLOR	LIGHT COLOR	COLOR TEMP.	POWER	LEDS (STEADY/FLASH)	FOLDABLE
571-007	● Black	☀ Warm white +	2400K	6,5 Watt	84 (70/14)	Yes
571-010	● Black	☀ Warm white	3000K	6,5 Watt	84 (70/14)	Yes
571-009	○ White	☀ Warm white	3000K	6,5 Watt	84 (70/14)	Yes
571-006	○ White	☾ Cold white	6500K	6,5 Watt	84 (70/14)	Yes

### Ø 50 cm

ART. NR.	FRAME COLOR	LIGHT COLOR	COLOR TEMP.	POWER	LEDS (STEADY/FLASH)	FOLDABLE
571-017	● Black	☀ Warm white +	2400K	10 Watt	189 (158/31)	Yes
571-020	● Black	☀ Warm white	3000K	10 Watt	189 (158/31)	Yes
571-019	○ White	☀ Warm white	3000K	10 Watt	189 (158/31)	Yes
571-016	○ White	☾ Cold white	6500K	10 Watt	189 (158/31)	Yes

### Ø 80 cm

ART. NR.	FRAME COLOR	LIGHT COLOR	COLOR TEMP.	POWER	LEDS (STEADY/FLASH)	FOLDABLE
571-027	● Black	☀ Warm white +	2400K	20 Watt	336 (280/56)	Yes
571-030	● Black	☀ Warm white	3000K	20 Watt	336 (280/56)	Yes
571-029	○ White	☀ Warm white	3000K	20 Watt	336 (280/56)	Yes
571-026	○ White	☾ Cold white	6500K	20 Watt	336 (280/56)	Yes



**Tip:** use a Main Cable to integrate 3D motifs into custom-made designs.



# Connectable Lights 230V | Net Lights

## NET LIGHT | 230V | BLACK

Net Lights are perfect for wrapping trees, bushes, or columns, or integrate them into a lighting design with other connectable Tronix Christmas Lights. Connect up to 6, 8 or 12 sets. Durable and weather-resistant, ideal for reliable outdoor lighting. Power Cable art.nr. 010-013 included.



- Input voltage:** 230V
- IP rate:** IP65 (indoor/outdoor)
- Material:** Rubber
- Connectable:** Yes (in/out)
- Power cable:** 1,80 meter (included)




\*Power Cable art.nr. 010-013 included.

ART. NR.	WIRE COLOR	LIGHT COLOR	COLOR TEMP.	POWER	SIZE	LEDS	MAX. TO CONNECT
033-028	● Black	○ Warm white	3000K	40 Watt	250 x 120 cm	406	12 sets
033-038	● Black	○ Warm white	3000K	65 Watt	400 x 200 cm	648	8 sets
033-048	● Black	○ Warm white	3000K	75 Watt	300 x 300 cm	750	6 sets



*Tronix Net Lights at Business & Golf Club 'the Duke' - Nistelrode, the Netherlands*

# Connectable Lights 230V | **proSYSTEM** MODULAR



## TRONIX PRO SYSTEM MODULAR: Unlimited in possibilities

Create stunning light displays with Tronix Pro System Modular. Easy connectable Light Strings, Icicle Lights, 3D Motifs, Rope Lights, and Net Lights—all powered from a single source. With versatile connectors and cables, the design possibilities are endless. Durable, efficient, and perfect for indoor and outdoor use.

# Accessories | Connectable Lights

## POWER CABLES

ART. NR.	COLOR	2 / 5 AMPÈRE
010-013	● Black	LED power cable EU - 2 Ampère (max. 6.000 LEDs)
010-019	● Black	LED power cable EU - 5 Ampère (max. 15.000 LEDs)
010-012	○ White	LED power cable EU - 2 Ampère (max. 6.000 LEDs)
010-020	○ White	LED power cable EU - 5 Ampère (max. 15.000 LEDs)

**proSYSTEM**  
MODULAR LED 230V



### POWER CABLE

Art. nr. 010-013/  
010-019

### EXTENSION CABLE

Art. nr. 010-201/010-203/010-205/010-207/010-209

## EXTENSION CABLES

ART. NR.	COLOR	0,5 / 1 / 2 / 3 / 5M
010-201	● Black	Extension cable - 0,5 meter
010-203	● Black	Extension cable - 1 meter
010-205	● Black	Extension cable - 2 meter
010-207	● Black	Extension cable - 3 meter
010-209	● Black	Extension cable - 5 meter
010-200	○ White	Extension cable - 0,5 meter
010-202	○ White	Extension cable - 1 meter
010-204	○ White	Extension cable - 2 meter
010-206	○ White	Extension cable - 3 meter
010-208	○ White	Extension cable - 5 meter



### Y-CONNECTOR

Art. nr. 010-198



### RING CONNECTOR

Art. nr. 010-189

## CONNECTORS

ART. NR.	COLOR	CONNECTORS
010-198	● Black	Y-connector
010-004	● Black	T-section-connector compact (2 pcs)
010-189	● Black	Ring connector 5-way
010-023	● Black	T-connector flexible 25 cm
010-199	○ White	Y-connector
010-005	○ White	T-section-connector compact (2 pcs)
010-188	○ White	Ring connector 5-way
010-022	○ White	T-connector flexible 25 cm



### T-CONNECTOR

Art. nr. 010-004



### T-CONN. FLEXIBLE

Art. nr. 010-023



## MAIN CABLES

ART. NR.	COLOR	60 / 120 / 240 CM
010-114	● Black	Main cable 60 cm   6 sockets   10 cm distance
010-106	● Black	Main cable 120 cm   12 sockets   10 cm distance
010-108	● Black	Main cable 240 cm   24 sockets   10 cm distance
010-113	○ White	Main cable 60 cm   6 sockets   10 cm distance
010-105	○ White	Main cable 120 cm   12 sockets   10 cm distance
010-107	○ White	Main cable 240 cm   24 sockets   10 cm distance

### MAIN CABLE

Art. nr. 010-114



### END CAP

Art. nr. 010-195



### CONN. ROPE LIGHT

Art. nr. 010-197

## END CAPS


ART. NR.	COLOR	END CAP
010-195	● Black	End cap
010-196	○ White	End cap

## SPECIALS

ART. NR.	COLOR	SPECIAL ACCESSORIES
010-197	● Black	Connector 15 cm for Rope Light 13mm
010-109	● Black	Cone tree divider with 10 connector strings 30 cm   connectable

### CONE TREE DIVIDER

Art. nr. 010-109





K





Tronix 26V Cluster Lights at Kaeve Car Center, IDI Projects - Uden, the Netherlands

# Connectable Lights 36V | String Lights

## STRING LIGHTS | TRANSPARENT

Designed for low-voltage use, these String Lights ensure safe and visually stunning lighting displays in public areas such as parks, malls, and squares.



**proSYSTEM** LED 36V  
MODULAR

**Input voltage:** 36V  
**IP rate:** IP65 (indoor/outdoor)  
**LED distance:** 10 cm  
**Material:** PVC  
**Connectable:** Yes (in/out)  
**Power supply:** Not included  
**End caps:** Included



### 6 METERS

ART. NR.	WIRE COLOR	LIGHT COLOR	COLOR TEMP.	POWER	LEDS P/STRING
018-119	Transparent	○ Warm white+	2400K	4,6 Watt	60
018-118	Transparent	○ Warm white	3000K	4,6 Watt	60

### 10 METERS

ART. NR.	WIRE COLOR	LIGHT COLOR	COLOR TEMP.	POWER	LEDS P/STRING
018-139	Transparent	○ Warm white+	2400K	6,8 Watt	100
018-138	Transparent	○ Warm white	3000K	6,8 Watt	100


## CLUSTER LIGHTS | TRANSPARENT

Cluster Lights, operating on low voltage, offer a safe and visually captivating solution for illuminating public venues such as parks, shopping malls, and plazas.



**proSYSTEM** LED 36V  
MODULAR

**Input voltage:** 36V  
**IP rate:** IP65 (indoor/outdoor)  
**LED distance:** 1,67 cm  
**Material:** PVC  
**Connectable:** Yes (in/out)  
**Power supply:** Not included  
**End caps:** Included



### 3 METERS

ART. NR.	LENGTH	LIGHT COLOR	COLOR TEMP.	POWER	LEDS P/STRING
018-319	3 meter	○ Warm white+	2400K	10,5 Watt	180
018-318	3 meter	○ Warm white	3000K	10,5 Watt	180

# String Lights | Connectable Lights 36V

## STRING LIGHTS | BLACK & WHITE

Low-voltage String Lights designed for safe and atmospheric light displays in public spaces like parks, malls, and squares. Use them as standalone String Lights, or combine them with Main Cables for custom-made Light Curtains.



**proSYSTEM** LED  
MODULAR 36V

- Input voltage:** 36V
- IP rate:** IP44 (indoor/outdoor)
- LED distance:** 10 cm
- Material:** PVC
- Connectable:** Yes (in/out)
- Power supply:** Not included
- End caps:** Included



## 3 METERS

ART. NR.	WIRE COLOR	LIGHT COLOR	COLOR TEMP.	POWER	LEDS P/STRING
018-502	● Black	○ Warm white+	2400K	2 Watt	30
018-501	● Black	○ Warm white	3000K	2 Watt	30
018-500	● Black	○ Cold white	6500K	2 Watt	30
018-542	○ White	○ Warm white+	2400K	2 Watt	30
018-541	○ White	○ Warm white	3000K	2 Watt	30
018-540	○ White	○ Cold white	6500K	2 Watt	30

## 10 METERS

ART. NR.	WIRE COLOR	LIGHT COLOR	COLOR TEMP.	POWER	LEDS P/STRING
018-522	● Black	○ Warm white+	2400K	6,8 Watt	100
018-521	● Black	○ Warm white	3000K	6,8 Watt	100
018-520	● Black	○ Cold white	6500K	6,8 Watt	100
018-562	○ White	○ Warm white+	2400K	6,8 Watt	100
018-561	○ White	○ Warm white	3000K	6,8 Watt	100
018-560	○ White	○ Cold white	6500K	6,8 Watt	100



# Connectable Lights 36V | Icicle Lights

## ICICLE LIGHTS | TRANSPARENT

These low-voltage Icicle Lights combine safety and versatility, making them ideal for creating warm and inviting light displays. Ideal for restaurants, shopping centers, or connecting storefronts to create atmospheric shopping streets.



- Input voltage:** 36V
- IP rate:** IP65 (indoor/outdoor)
- Material:** PVC
- Connectable:** Yes (in/out)
- Power supply:** Not included
- End caps:** Not included



### 2X 0,4 METERS

ART. NR.	WIRE COLOR	LIGHT COLOR	COLOR TEMP.	POWER	LEDS	LEDS PER STRING
018-209	Transparent	○ Warm white+	2400K	7,6 Watt	92	3 - 5 - 7
018-208	Transparent	○ Warm white	3000K	7,6 Watt	92	3 - 5 - 7

### 2X 0,8 METERS

ART. NR.	WIRE COLOR	LIGHT COLOR	COLOR TEMP.	POWER	LEDS	LEDS PER STRING
018-219	Transparent	○ Warm white+	2400K	15,2 Watt	184	6 - 10 - 14
018-218	Transparent	○ Warm white	3000K	15,2 Watt	184	6 - 10 - 14

# Accessories | Connectable Lights 36V



## EXTENSION CABLES

ART. NR.	COLOR	2M / 5M
018-014	○ Transparent	Extension cable - 2 meter
018-015	○ Transparent	Extension cable - 5 meter
018-034	● Black	Extension cable - 2 meter
018-035	● Black	Extension cable - 5 meter
018-024	○ White	Extension cable - 2 meter
018-025	○ White	Extension cable - 5 meter



**EXTENSION CABLE**  
Art. nr. 018-034/018-035

## DIVIDERS

ART. NR.	COLOR	2 / 3 / 5-WAY
018-012	○ Transparent	2-way divider
018-013	○ Transparent	5-way divider
018-032	● Black	2-way divider
018-038	● Black	3-way divider
018-033	● Black	5-way divider
018-022	○ White	2-way divider
018-023	○ White	5-way divider



**DIVIDERS**  
Art. nr. 018-032/018-038/018-033

## END CAPS

ART. NR.	COLOR	END CAP
018-011	○ Transparent	End cap
018-031	● Black	End cap
018-021	○ White	End cap



**END CAPS**  
Art. nr. 018-031

## MAIN CABLES

ART. NR.	COLOR	120 / 240 / 400 CM
018-050	○ Transparent	Transparent   main cable   120 cm   12 sockets
018-052	○ Transparent	Transparent   main cable   240 cm   24 sockets
018-036	● Black	Black   main cable   400 cm   10 sockets



**MAIN CABLES**  
Art. nr. 018-036

## POWER SUPPLIES

ART. NR.	COLOR	FOR 36V CONNECTABLE LIGHTS
018-007	● Black	LED power supply   36 Watt   72m or 720 LEDs
018-008	● Black	LED power supply   72 Watt   144m or 1440 LEDs
018-002	○ White	LED power supply   100 Watt   200M or 2000 LEDs
018-003	○ White	LED power supply   200 Watt   400M or 4000 LEDs



**POWER SUPPLY**  
Art. nr. 018-002/  
018-007/018-008

**POWER SUPPLY**  
Art. nr. 018-003

# Tree Lighting | 24V

## TREE LIGHT PROFESSIONAL 24V | 63M | GREEN

The Tree Light Pro is a 63M low-voltage and connectable String Light to decorate any larger tree. Can be cut into 90cm lengths if desired. Max 63 meters per length. Use dividers to connect multiple 63-meter lengths to one Power Supply.



- Input voltage:** 24V
- IP rate:** IP65 (indoor/outdoor)
- LED distance:** 15 cm
- Cutting distance:** 90 cm
- Connectable:** Yes (in/out)
- Power supply:** Not included



ART. NR.	WIRE COLOR	LIGHT COLOR	COLOR TEMP.	POWER	LEDS P/STRING
025-019	● Green	● Warm white+	2400K	15 Watt	420
025-018	● Green	● Warm white	3000K	15 Watt	420
025-021	● Green	○ Cold white	6500K	15 Watt	420

## EXTENSION CABLES

ART. NR.	COLOR	4 M
535-025	● Black	Extension cable - 4 meter   2pcs



**EXTENSION CABLE**  
Art. nr. 535-025

**DIVIDERS**  
Art. nr. 535-005/  
535-020

## DIVIDERS

ART. NR.	COLOR	2 / 5-WAY
535-005	● Black	2-Way divider   5pcs
535-020	● Black	5-Way divider   2pcs

## CONNECTORS

ART. NR.	COLOR	MALE / FEMALE / AMP
535-032	● Red	Connector female   100 pcs
535-033	● Blue	Connector female   100 pcs
535-030	● Red	Connector male   100 pcs
535-031	● Blue	Connector male   100 pcs
535-050	○ Transparent	Connector amp   2,3 mm   100 pcs
535-051	○ Transparent	Connector amp   4,2 mm   25 pcs



**CONNECTORS**  
Art. nr. 535-032/535-033/535-030/  
535-031/535-050/535-051

## ELASTIC TIES

ART. NR.	COLOR	ELASTIC TIE TUBE 50M
535-090	● Black	To protect tree branches



**ELASTIC TIES**  
Art. nr. 535-090

## POWER SUPPLIES

ART. NR.	COLOR	FOR 24V TREE LIGHT PROFESSIONAL
215-308	● Black	Power supply 24V   IP67   36 Watt
215-309	● Black	Power supply 24V   IP67   72 Watt
215-302	● Aluminium	Power supply 24V   IP67   100 Watt
215-304	● Black	Power supply 24V   IP67   200 Watt



**POWER SUPPLY**  
Art. nr. 215-302/  
215-308/215-309



**POWER SUPPLY**  
Art. nr. 215-304



*Tronix Tree Lighting at Spiegelgracht, ID Light - Amsterdam, the Netherlands*

# Tree Lighting | 36V

## TREE LIGHT PROFESSIONAL 36V

The Tree Light Professional 36V are low-voltage connectable String Lights in 4, 10 or 21 meter. Perfect to decorate smaller trees. Max 50 meters per length. Use Dividers to connect multiple 50-meter lengths to one Power Supply



- Input voltage:** 36V
- IP rate:** IP65 (indoor/outdoor)
- LED distance:** n/a
- Cutting distance:** 150 cm
- Connectable:** Yes (in/out)
- Power supply:** Not included



### 4 METERS

ART. NR.	WIRE COLOR	LIGHT COLOR	COLOR TEMP.	POWER	LEDS P/STRING
025-139	● Green	● Warm white+	2400K	1,5 Watt	30
025-138	● Green	● Warm white	3000K	1,5 Watt	30
025-141	● Green	○ Cold white	6500K	1,5 Watt	30

### 10 METERS

ART. NR.	WIRE COLOR	LIGHT COLOR	COLOR TEMP.	POWER	LEDS P/STRING
025-129	● Green	● Warm white+	2400K	3 Watt	70
025-128	● Green	● Warm white	3000K	3 Watt	70
025-131	● Green	○ Cold white	6500K	3 Watt	70

### 21 METERS

ART. NR.	WIRE COLOR	LIGHT COLOR	COLOR TEMP.	POWER	LEDS P/STRING
025-119	● Green	● Warm white+	2400K	6 Watt	140
025-118	● Green	● Warm white	3000K	6 Watt	140
025-121	● Green	○ Cold white	6500K	6 Watt	140



# 36V Accessories | Tree Lighting



## EXTENSION CABLES

ART. NR.	COLOR	2 / 5M
018-034	● Black	Extension cable - 2 meter
018-035	● Black	Extension cable - 5 meter



**EXTENSION CABLES**  
Art. nr. 018-034/018-035

## DIVIDERS

ART. NR.	COLOR	2 / 3 / 5-WAY
018-032	● Black	2-Way divider
018-038	● Black	3-Way divider
018-033	● Black	5-Way divider



**DIVIDERS**  
Art. nr. 018-032/018-038/018-033

## MAIN CABLES

ART. NR.	COLOR	2 / 5M
018-036	● Black	4M   10 sockets for vertical hanging tree lighting strings



**MAIN CABLE**  
Art. nr. 018-036

**END CAPS**  
Art. nr. 018-031

## END CAPS

ART. NR.	COLOR	END CAP
018-031	● Black	End cap

## ELASTIC TIES

ART. NR.	COLOR	ELASTIC TIE TUBE 50M
535-090	● Black	To protect tree branches



**ELASTIC TIE**  
Art. nr. 535-090

## POWER SUPPLIES

ART. NR.	COLOR	FOR 36V CONNECTABLE LIGHTS
018-007	● Black	LED power supply   36 Watt   72m or 720 LEDs
018-008	● Black	LED power supply   72 Watt   144m or 1440 LEDs
018-002	○ White	LED power supply   100 Watt   200M or 2000 LEDs
018-003	○ White	LED power supply   200 Watt   400M or 4000 LEDs



**POWER SUPPLY**  
Art. nr. 018-002/  
018-007/018-008

**POWER SUPPLY**  
Art. nr. 018-003

# Rope Light | 12/24V

## LED ROPE LIGHT | 12V | 15M

LED Rope Lights offer versatility and durability, making them suitable for year-round use. Rope Lights are perfect for both indoor and outdoor settings, such as terraces, cafes, swimming pools, or as accent lighting at a bar. A practical and versatile solution for various lighting needs. Cuttable per 8,3 cm.



**Input voltage:** 12V  
**IP rate:** IP65 (indoor/outdoor)  
**LED structure:** Vertical  
**Width:** Ø 13 mm  
**Dimmable:** Yes  
**Max. to connect:** 15 meter  
**Power cable:** Included (stripped wire)



ART. NR.	LIGHT COLOR	COLOR TEMP.	LENGTH	POWER	✂	LEDS
045-010	Warm white+	2400K	15 meter	2,9 Watt/meter	8,3 cm	36 LED p/m
045-008	Warm white	3000K	15 meter	2,9 Watt/meter	8,3 cm	36 LED p/m
045-001	Cold white	6500K	15 meter	2,9 Watt/meter	8,3 cm	36 LED p/m

## LED ROPE LIGHT | 24V | 30M

24V LED Rope Lights are available in a vertical or horizontal LED structure. Power cable with stripped wire included. Cuttable per 17/28 cm.



**Input voltage:** 24V  
**IP rate:** IP65 (indoor/outdoor)  
**Width:** Ø 13 mm  
**Dimmable:** Yes  
**Max. to connect:** 30 meter  
**Power cable:** Included (stripped wire)



## VERTICAL LED STRUCTURE

ART. NR.	LIGHT COLOR	COLOR TEMP.	LENGTH	POWER	✂	LEDS
050-010	Warm white+	2400K	30 meter	2,9 Watt/meter	17 cm	36 LED p/m
050-008	Warm white	3000K	30 meter	2,9 Watt/meter	17 cm	36 LED p/m
050-001	Cold white	6500K	30 meter	2,9 Watt/meter	17 cm	36 LED p/m
050-002	Blue	n/a	30 meter	2,9 Watt/meter	17 cm	36 LED p/m
050-003	Green	n/a	30 meter	2,9 Watt/meter	17 cm	36 LED p/m
050-004	Red	n/a	30 meter	1,7 Watt/meter	28 cm	36 LED p/m
050-005	Amber	n/a	30 meter	1,7 Watt/meter	28 cm	36 LED p/m

## HORIZONTAL LED STRUCTURE

ART. NR.	LIGHT COLOR	COLOR TEMP.	LENGTH	POWER	✂	LEDS
050-110	Warm white+	2400K	30 meter	2,9 Watt/meter	17 cm	36 LED p/m
050-108	Warm white	3000K	30 meter	2,9 Watt/meter	17 cm	36 LED p/m
050-101	Cold white	6500K	30 meter	2,9 Watt/meter	17 cm	36 LED p/m

# 230V | Rope Light

## LED ROPE LIGHT | 230V | 50/51M

230V LED Rope Lights are available in a vertical or horizontal LED structure. Power cable with Schuko plug included. Cuttable per 150 cm. 230V Rope Light colors are 100% matching with Tronix Lighting Connectable Christmas Lights.



**Input voltage:** 230V  
**IP rate:** IP65 (indoor/outdoor)  
**Width:** Ø 13 mm  
**Dimmable:** Yes  
**Max. to connect:** 50/51 meter  
**Power cable:** Included (Schuko ungrounded plug)



## VERTICAL LED STRUCTURE

ART. NR.	LIGHT COLOR	COLOR TEMP.	LENGTH	POWER	✂	LEDS
055-010	Warm white+	2400K	50 meter	3,2 Watt/meter	150 cm	36 LED p/m
055-008	Warm white	3000K	51 meter	3,2 Watt/meter	150 cm	36 LED p/m
055-001	Cold white	6500K	51 meter	3,2 Watt/meter	150 cm	36 LED p/m

## HORIZONTAL LED STRUCTURE


ART. NR.	LIGHT COLOR	COLOR TEMP.	LENGTH	POWER	✂	LEDS
055-110	Warm white+	2400K	50 meter	3,2 Watt/meter	100 cm	36 LED p/m
055-108	Warm white	3000K	50 meter	3,2 Watt/meter	100 cm	36 LED p/m
055-101	Cold white	6500K	50 meter	3,2 Watt/meter	100 cm	36 LED p/m

## LED ROPE LIGHT | 230V | 50M

With colored PVC, the 230V LED Rope Light 2.0 ensures colors stay visible, even when switched off. Available in green, yellow, blue, and red, they are perfect for bold, versatile lighting designs. Power cable with Shuko plug included. Cuttable per 100 cm.



**Input voltage:** 230V  
**IP rate:** IP65 (indoor/outdoor)  
**LED structure:** Horizontal  
**Width:** Ø 13 mm  
**Dimmable:** Yes  
**Max. to connect:** 50 meter  
**Power cable:** Included (Schuko ungrounded plug)



ART. NR.	LIGHT COLOR	LENGTH	POWER	✂	LEDS
055-102	Blue	50 meter	3,2 Watt/meter	100 cm	36 LED p/m
055-103	Green	50 meter	3,2 Watt/meter	100 cm	36 LED p/m
055-104	Red	50 meter	2,4 Watt/meter	100 cm	36 LED p/m
055-105	Yellow	50 meter	2,4 Watt/meter	100 cm	36 LED p/m



*A Christmas angel made of 6500K Rope Light*

# Accessories | Rope Light

## POWER CABLE

ART. NR.	1,5M
065-005	Power cable EU for 230V LED Rope Light & end cap - IP44



**POWER CABLE**  
Art. nr. 065-005



**CONN. SET 12/24V**  
Art. nr. 065-010

## CHANNELS

ART. NR.	2M
485-165	PET channel - UV/chlorine/salt water-resistant
485-170	Aluminium channel - UV resistant, with high light output because of high reflection



**PET CHANNEL**  
Art. nr. 485-165



**ALU CHANNEL**  
Art. nr. 485-170

## CLIPS

ART. NR.	2M
485-070	Mounting clips   25 pcs
485-065	Crocodile clips   100 pcs



**MOUNTING CLIPS**  
Art. nr. 485-070



**CROCODILE CLIPS**  
Art. nr. 485-065

## CONNECTORS

ART. NR.	CONNECTORS
485-050	Coupling set   2 pcs   connect or reconnect damaged pieces
485-085	Invisible splice connector   1 pc   for less noticeable connections
485-090	Male pin connector   1 pc
485-105	T-connector   1 pc
485-110	X-connector   1 pc



**COUPLING SET**  
Art. nr. 485-050



**INVISIBLE CONN.**  
Art. nr. 485-085

## END CAPS

ART. NR.	END CAPS
485-100	End cap   1 pc   To seal the end of a (cutted) Rope Light
485-113	Heat shrinkable tube + glue   10 pcs   to make Rope Lights (extra) waterproof
485-055	Glue tube   1 pc   glue for end caps



**MALE CONN.**  
Art. nr. 485-090



**T-CONNECTOR**  
Art. nr. 485-105

## SPECIALS FOR 12 / 24V ROPE LIGHTS

ART. NR.	12 / 24V ROPE LIGHTS
065-010	Connection set for 12/24V Rope Light with end cap & heat shrinkable tube - IP44   1,5M   stripped wire



**X-CONNECTOR**  
Art. nr. 485-110



**END CAP**  
Art. nr. 485-100



**HEAT TUBE**  
Art. nr. 485-113



**GLUE**  
Art. nr. 485-055

# Festoon Lights | Complete

## FESTOON LIGHTING | COMPLETE



These complete Festoon Lights feature durable E27 sockets and come equipped with a Power Cable, ensuring hassle-free installation. Power Cable included.

**Input voltage:** 230V

**Socket space:** 50/100 cm

**Cable:** 2 x 1,5 mm<sup>2</sup>

**Length from plug to first bulb:** 50 cm/100 cm

**IP rate:** IP65 (cable and socket), IP44 (female/male connector with end cap) (indoor/outdoor)

**Material:** Rubber

**Power cable:** Included

**Lamps:** Not included, see page 33

**Color:** Black



\*Power cable art.nr. 585-110 included.

ART. NR.	LENGTH	SOCKETS	CABLE COLOR	SOCKET SPACE	CONTAINS
585-120	10 meter	10	● Black	100 cm	1x 585-101 + 1x 585-110
585-121	20 meter	20	● Black	100 cm	2x 585-101 + 1x 585-110
585-122	30 meter	30	● Black	100 cm	3x 585-101 + 1x 585-110
585-123	50 meter	50	● Black	100 cm	1x 585-102 + 1x 585-110
585-124	100 meter	100	● Black	100 cm	2x 585-102 + 1x 585-110
585-125	10 meter	20	● Black	50 cm	1x 585-105 + 1x 585-110
585-126	20 meter	40	● Black	50 cm	2x 585-105 + 1x 585-110
585-127	30 meter	60	● Black	50 cm	3x 585-105 + 1x 585-110
585-128	50 meter	100	● Black	50 cm	1x 585-106 + 1x 585-110
585-129	100 meter	200	● Black	50 cm	2x 585-106 + 1x 585-110

# Mix & Match | Festoon Lights

## MIX & MATCH FESTOON LIGHTING

Connect different Festoon Light lengths to create your perfect design, or use them as single Festoon String. Festoon Lights comes with 10, 20, 50 or 100 sockets and female/male connectors with one end cap.



Power cable not included. Maximum power 2000 Watt. Maximum length 200 meters.

**Input voltage:** 230V

**Socket space:** 50/100 cm

**Cable:** 2 x 1,5 mm<sup>2</sup>

**Length from plug to first bulb:** 50/100 cm

**IP rate:** IP65 (cable and socket), IP44 (female/male connector)  
(indoor/outdoor)

**Material:** Rubber

**Power cable:** Not included

**Lamps:** Not included, see page 33

**Color:** Black



ART. NR.	LENGTH	SOCKETS	CABLE COLOR	SOCKET SPACE
585-101	10 meter	10	● Black	100 cm
585-102	50 meter	50	● Black	100 cm
585-105	10 meter	20	● Black	50 cm
585-106	50 meter	100	● Black	50 cm

## ACCESSORIES

ART. NR.	FESTOON CABLE ACCESSORIES
585-110	Festoon Light power cable max. 2000W
585-109	Festoon Light   spare rubber set incl mounting rings   10pcs
585-111	Festoon Light   extension cable 5m



**POWER CABLE**  
Art. nr. 585-110



**RUBBER SET**  
Art. nr. 585-109



**EXTENSION CABLE**  
Art. nr. 585-111



*Festoon Cable Light at atmospheric street 'de Preek' - Uden, the Netherlands*



# Lamps | Festoon Lights

## LED P45 | 1 WATT | PC CAP

These LED P45 bulbs have a plastic cap (PC) and are ideal for use in combine with Festoon Cables. The plastic cover makes them difficult to break and can withstand all weather conditions.



**Input voltage:** 230V  
**IP rate:** IP20 (IP44 when applied) (indoor/outdoor)  
**Color temperature:** 2400K  
**Diameter:** 45 mm  
**Length:** 69 mm  
**Dimmable:** No  
**Material:** Polycarbonate (plastic)  
**Connection type:** E27



ART. NR.	LIGHT COLOR	COLOR TEMP.	POWER	LUMEN	BEAM
165-000	Warm white+	2400K	1 Watt	51 Lm	190°

## LED P45 | 1 WATT | PC CAP

These LED P45 bulbs have a plastic cap (PC) and are ideal for use in combine with Festoon Cables. The plastic cover makes them difficult to break and can withstand all weather conditions.



**Input voltage:** 240V  
**IP rate:** IP20 (IP44 when applied) (indoor/outdoor)  
**Diameter:** 45 mm  
**Length:** 70 mm  
**Dimmable:** No  
**Material:** Polycarbonate (plastic)  
**Connection type:** E27



ART. NR.	LIGHT COLOR	COLOR TEMP.	POWER	LUMEN	BEAM
165-038	Warm white+	2400K	1 Watt	50 Lm	190°
165-039	Warm white	2700K	1 Watt	50 Lm	190°
165-031	Cold white	6000K	1 Watt	62 Lm	190°
165-032	Blue	n.a.	1 Watt	n.a.	190°
165-033	Green	n.a.	1 Watt	n.a.	190°
165-034	Red	n.a.	1 Watt	n.a.	190°
165-035	Yellow	n.a.	1 Watt	n.a.	190°
165-036	Orange	n.a.	1 Watt	n.a.	190°



Check our complete  
catalog range online







**CARE**



**SHARE**



**CONNECT**



Tronix / Vluchtoord 41, 5406 XP Uden / Postbus 205, 5400 AE Uden / The Netherlands  
+31 (0)413 330 380 / sales@tronixlighting.com / www.tronixlighting.com

